



seadec...doors for living

seadecTM
importers and distributors of internal doors



SeaDec doors bring warmth, style and prestige to your home. Our range now includes doors and mouldings from Whiteriver and we have also added Vicaima fire doors to further increase your choice. Our large selection of doors makes choosing a door that's right for your home easy.

Product Quality & Environment



The world faces many challenges and managing our forests is very important. We are committed to sourcing all our doors and mouldings from well managed and sustainable sources. Our company has achieved both FSC® and PEFC Chain of Custody certification. The Forest Stewardship Council® (FSC) aims to promote environmentally appropriate, socially beneficial, and economically viable management of the world's forests. Read more about FSC – www.FSC.org. The Programme for the Endorsement of Forest Certification (PEFC) is an international non-profit, non-governmental organization dedicated to promoting Sustainable Forest Management (SFM) through independent third-party certification. Read more about PEFC – www.PEFC.org.

Our aim for the future is to maintain highest quality standards and to increase the number of products we sell that are certified with proven chain of custody.



The mark of responsible forestry



Door Standard Sizes


SeaDec doors are available in a choice of eight standard sizes:

FEET	METRIC	INCHES
6ft 8ins x 2ft 10ins	2032mm x 864mm	80ins x 34ins
6ft 8ins x 2ft 8ins	2032mm x 813mm	80ins x 32ins
6ft 6ins x 2ft 6ins	1981mm x 762mm	78ins x 30ins
6ft 6ins x 2ft 4ins	1981mm x 711mm	78ins x 28ins
6ft 6ins x 2ft 2ins	1981mm x 660mm	78ins x 26ins
6ft 6ins x 2ft	1981mm x 610mm	78ins x 24ins
ADDITIONAL NORTHERN IRELAND SIZES:		
6ft 6ins x 2ft 9ins	1981mm x 838mm	78ins x 33ins
6ft 6ins x 2ft 3ins	1981mm x 686mm	78ins x 27ins

If you are buying replacement doors, **DO NOT** measure the existing door. You must always base your measurements on the door frame. Please read our Measuring Up guide on the right.

PLEASE REFER TO PAGE 22 FOR DOOR SIZE AVAILABILITY

Measuring up



Door width: Take three measurements inside the door frame - at the top, middle and bottom. The widest measurement determines the width of the door.

Door height: Measure the inside of each vertical side of the frame. The longest length determines the height required. Remember to make allowance for any floor covering.

INDEX



pine collection	4
-----------------	---



white primed collection	6
-------------------------	---



seadec oak collection	10
whiteriver oak collection	20



walnut collection	18
-------------------	----



fire doors	24
------------	----



door size guide	22
mouldings	28
installation and care	35

seadecTM

pine collection

Tradition always stands the test of time. Our pine door range brings the warmth of tradition into your home. They come prefinished with clear lacquer and have a high quality construction. The range is complimented by three pre glazed options.




1



PINE
6 Panel

3




PINE
4 Panel

5



PINE
2 Panel Unglazed

2



PINE GLASS 1
Pre-glazed

4



PINE GLASS 4
Pre-glazed

6



PINE GLASS 5
Pre-glazed



seadecTM

white primed collection

White primed doors allow you create a relaxing and classical finish to your home. These doors have laminated solid timber stiles for stability and mdf cover panels for a smooth consistent finish. The white primed finish provides a good base for finishing coats. White primed engineered doors achieve a smoother finish than traditional timber doors and eliminate the transfer of wood grain.



7



KINGSCOURT WHITE
4 Panel

9



CAMBRIDGE WHITE
4 Panel
New - available June 2014

8



WATERFORD WHITE
2 Panel Unglazed

10



OXFORD WHITE
2 Panel Unglazed
New - available June 2014



seadec™

white primed collection

White primed doors can provide a contemporary finish as well as traditional look. During 2013 we have seen increased demand for contemporary designs with a white primed finish. Following this trend, we are very pleased to introduce the Augusta and matching glass Columbus doors to our range for 2014.



11



NEVADA WHITE
Sheeted

13



HAMPTON WHITE
1 Panel Shaker

15



AUGUSTA WHITE
4 Panel Shaker
New - available May 2014

12




ARIZONA WHITE
9P Pre-glazed

14



CHESHIRE WHITE
Shaker Pre-glazed

16



COLUMBUS WHITE
4 Panel Shaker Glazed
New - available May 2014




seadec™

premium
oak
collection

All our Seadec doors are 44mm in thickness. The majority of the Seadec range is supplied with a distinctive v-groove design. The doors are constructed with a real wood veneer over engineered solid wood stiles and rails. A solid oak 14mm slip on each side gives a rebating option. Prefinished to a high standard, SeaDec's oak doors have the look and feel of pure quality.



17




WESTPORT OAK
6 Panel

19



KINGSCOURT OAK
4 Panel

21



BELFAST OAK
4 Panel Curved Top

18



WATERFORD OAK
2 Panel Unglazed

20



LONGFORD OAK
2 Panel Curved Unglazed




seadecTM

premium oak collection

Our selection of pre glazed doors within our oak range ensures that you can complete your required look. As our doors come with 14mm lipping there is no problem providing for double doors that require rebating. All our glass doors are supplied with toughened glass for your safety.



22




WATERFORD OAK GLASS 1
Pre-glazed

24




LONGFORD OAK GLASS 3
Pre-glazed

26




BANDON OAK
Two Panel Curved

23



WATERFORD OAK GLASS 4
Pre-glazed - Also available in curved glass to suit Longford door

25



WATERFORD OAK GLASS 5
Pre-glazed

27



KINSALE OAK
Two Panel Curved Pre-glazed






premium
oak
collection

Oak doors remain very popular both in traditional and contemporary range's due to their rich finish. White primed skirting and architrave finished to contrast with oak door is becoming a bespoke finish. The beauty of oak is that it can be finished with complementary oak mouldings or contrasted.



NEVADA OAK DOORS
With 78mm Whiteriver Contemporary Oak Architrave

28



NEVADA OAK
Sheeted (Non V-groove)

30



HAMPTON OAK
1 Panel Shaker

29



ARIZONA OAK
9P Pre-glazed (Non V-groove)

31



CHESHIRE OAK
1 Panel Shaker Pre-Glazed



seadecTM

oak
raised
bolection

Raised bolection doors in oak feature a decorative moulding around each panel. The extra decorative element gives the doors a unique richness and traditional look. All bolection doors come with a high quality pre finish.



32



OAK BOLECTION
6 Panel

33



OAK BOLECTION
4 Panel Curved Top

35



OAK BOLECTION
4 Panel Curved Top Unglazed

34



BOLECTION GLASS 3
Pre-glazed

36



BOLECTION GLASS 4
Pre-glazed



seadecTM

premium walnut collection

All our Seadec doors are 44mm in thickness. Our walnut doors are constructed with a real wood veneer over solid wood stiles and rails. A solid 14mm slip on each side gives a rebating option. Pre-finished to a high standard, SeaDec's walnut doors have the look and feel of pure quality.



37




HAMPTON WALNUT
1 Panel Shaker

39



BELFAST WALNUT
4 Panel Curved Top

41



WALNUT GLASS 3
Pre-glazed

38



CHESHIRE WALNUT
1 Panel Shaker Pre-glazed

40



LONGFORD WALNUT
2 Panel Curved Unglazed

42



ARIZONA WALNUT
9P Pre-glazed



Whiteriver

traditional whiteriver collection

Whiteriver oak doors provide a traditional look to finish your house to the highest standards - oak provides a timeless finish. Our oak doors are 42mm thick and are constructed with real wood veneers that have been carefully selected to create prefinished doors of distinction. The Whiteriver range of doors have flush joints where the rails and stiles meet.



43




COLONIAL OAK
6 Panel

45



COLONIAL OAK
4 Panel

47



SHAKER OAK
1 Panel Shaker

44



COLONIAL OAK
2 Panel Unglazed

46



BRITTANY OAK
2 Panel Curved Unglazed

48



SHAKER OAK GLAZED
1 Panel Shaker Pre-Glazed

Available
in Clear
and Frosted
glass





Door Spec & Sizes

Door Thickness	Door Lipping	80" x 34"	80" x 32"	78" x 30"	78" x 28"	78" x 26"	78" x 24"	N.I. Sizes	
		2032 x 864mm	2032 x 813mm	1981 x 762mm	1981 x 711mm	1981 x 660mm	1981 x 610mm	78" x 33"	78" x 27"

Pine

1	Pine 6P	42mm	20mm	●	●	●	●	●	●		
2	Pine Glass 1	42mm	20mm	●	●	●					
3	Pine 4P	42mm	20mm	●	●	●	●	●	●		
4	Pine Glass 4	42mm	20mm	●	●	●					
5	Pine 2P Unglazed	42mm	20mm	●	●	●					
6	Pine Glass 5	42mm	20mm	●	●	●					

White Primed

7	Kingscourt 4P	42mm	20mm	●	●	●	●	●	●	●	
8	Waterford 2P Unglazed	42mm	20mm	●	●	●				●	
9	Cambridge 4P	42mm	20mm	●	●	●	●	●	●	●	●
10	Oxford 2P Unglazed	42mm	20mm	●	●	●				●	
11	Nevada Sheeted	42mm	20mm	●	●	●	●	●	●		
12	Arizona 9P Pre-glazed	42mm	20mm	●	●	●	●			●	
13	Hampton 1P	42mm	20mm	●	●	●	●	●	●	●	●
14	Cheshire 1P Pre-glazed	42mm	20mm	●	●	●	●			●	
15	Augusta 4P	42mm	20mm	●	●	●	●		●	●	●
16	Columbus 4P Pre-glazed	42mm	20mm	●	●	●				●	

Premium Oak

17	Westport 6P	44mm	14mm	●	●	●	●	●	●	●	●
18	Waterford 2P Unglazed	44mm	14mm	●	●	●	●	●	●	●	
19	Kingscourt 4P	44mm	14mm	●	●	●	●	●	●	●	●
20	Longford 2P Unglazed	44mm	14mm	●	●	●	●			●	
21	Belfast 4P Curved	44mm	14mm	●	●	●	●	●	●	●	●
22	Waterford Oak Glass 1	44mm	14mm	●	●	●	●	●	●	●	
23	Waterford Oak Glass 4	44mm	14mm	●	●	●	●	●	●	●	

Door Thickness	Door Lipping	80" x 34"	80" x 32"	78" x 30"	78" x 28"	78" x 26"	78" x 24"	N.I. Sizes	
		2032 x 864mm	2032 x 813mm	1981 x 762mm	1981 x 711mm	1981 x 660mm	1981 x 610mm	78" x 33"	78" x 27"

Premium Oak (cont.)

24	Longford Oak Glass 3	44mm	14mm	●	●	●	●			●	
25	Waterford Oak Glass 5	44mm	14mm	●	●	●	●	●	●	●	
26	Bandon Oak	44mm	14mm	●	●	●	●	●	●		
27	Kinsale Oak Pre-glazed	44mm	14mm	●	●	●	●				
28	Nevada Sheeted	44mm	14mm	●	●	●	●	●	●	●	●
29	Arizona 9P Pre-glazed	44mm	14mm	●	●	●	●			●	
30	Hampton 1P	44mm	14mm	●	●	●	●	●	●	●	●
31	Cheshire 1P Pre-glazed	44mm	14mm	●	●	●	●				

Bolection Oak

32	Bolection 6P	44mm	14mm	●	●	●	●	●	●		
33	Bolection 4P Curved	44mm	14mm	●	●	●	●	●	●		
34	Bolection Glass 3	44mm	14mm	●	●	●	●				
35	Bolection 2P Unglazed	44mm	14mm	●	●	●					
36	Bolection Glass 4	44mm	14mm	●	●	●					

Walnut

37	Hampton 1P	44mm	14mm	●	●	●	●	●	●	●	
38	Cheshire 1P Pre-glazed	44mm	14mm	●	●	●	●			●	
39	Belfast 4P Curved	44mm	14mm	●	●	●	●	●	●	●	
40	Longford 2P Unglazed	44mm	14mm	●	●	●	●			●	
41	Walnut Glass 3	44mm	14mm	●	●	●	●			●	
42	Arizona 9P Pre-glazed	44mm	14mm	●	●	●				●	

Whiteriver Oak

43	Colonial 6P	42mm	14mm	●	●	●	●	●	●	●	●
44	Colonial 2P Unglazed	42mm	14mm	●	●	●				●	
45	Colonial 4P	42mm	14mm	●	●	●	●	●	●	●	●
46	Brittany 2P Unglazed	42mm	14mm	●	●	●				●	
47	Shaker 1P	42mm	10mm	●	●	●	●	●	●	●	●
48	Shaker 1P Pre-glazed	42mm	14mm	●	●	●	●		●	●	●



fire
doors

We now offer a select range of white primed doors in FD30 (30 minute rating) to complement our existing door range. All of our fire doors are fully accredited by Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain specification of door frame, intumescent materials and ironmongery. All Seadec white primed fire doors are FSC certified.




HAMPTON WHITE FD30
1 Panel Shaker Fire Door
New - available May 2014



KINGSCOURT WHITE FD30
4 Panel Fire Door
New - available June 2014



CHESHIRE WHITE FD30
Shaker Pre-glazed Fire Door
New - available June 2014



COLORADO WHITE FD30
5 Panel Fire Door
New - available June 2014





fire
doors

Vicaima are European leaders in Fire doors and their reputation has been built on quality of product. All Vicaima doors are European manufactured. Vicaima fire doors are backed up by certification from BWF Certifire and BM Trada Q mark. All fire doors are supported by fully accredited Fire Test Assessment reports, which are available on request and provide detailed information on the door's scope of use. It is essential that fire doors are fitted in accordance with the certification which will also explain the specification of door frame, intumescent materials and ironmongery. All Vicaima doors are FSC certified as standard. Veneered finished doors have 2 coats of high quality UV clear acrylic satin finish - this finish provides a smooth surface to the door enhancing the natural beauty of the veneer. Our Walnut door is from the Dekordor foil range which provides a man-made finish that allows for excellent matching. Lippings are supplied unfinished on the Dekordor range and must be sealed on site with clear polyurethane finish. FD30 and FD60 fire doors are available in all models. Glazing options - we can offer clear glass in FD30 or FD60 and GWPP safety glass in FD 30.



Please contact us for fire door size availability - we can also supply metric sizes. All Vicaima doors will be available from May 2014.



**PREMIUM PAINT GRADE
UNFINISHED SANDED**
FD30 and FD60



**OAK UNIVERSAL
PREFINISHED**
FD30 and FD60



**OAK UNIVERSAL DFG34
GLAZED PREFINISHED**
FD30 and FD60




**OAK UNIVERSAL DFG56
GLAZED PREFINISHED**
FD30 and FD60




**COMMERCIAL
WHITE PRIMED**
FD30 and FD60



**OAK SELECT
PREFINISHED**
FD30 and FD60




**OAK UNIVERSAL DFG01
GLAZED PREFINISHED**
FD30 and FD60



**WALNUT DEKORDOR
FOILED FINISH**
FD30 and FD60
Glazed options available

Door Frame




MOULDINGS


by whiteriver

Solid Door Frame White Primed
107mm or 132mm


Skirting Tech Drawings




Moulded Skirting
144mm x 18mm x 4200mm



Chamfered Skirting
144mm x 18mm x 4200mm



Victorian Skirting
180mm x 22mm x 4200mm



Grange Skirting
180mm x 22mm x 4200mm

Skirting



Moulded Skirting
144mm x 18mm x 4200mm



Chamfered Skirting
144mm x 18mm x 4200mm




Victorian Skirting
180mm x 22mm x 4200mm




Grange Skirting
180mm x 22mm x 4200mm


Architrave Tech Drawings




Moulded Architrave
94mm x 18mm



Chamfered Architrave
78mm x 18mm



Victorian Architrave
94mm x 22mm



Grange Architrave
94mm x 22mm

Architrave



Moulded Architrave
94mm x 18mm x 2200mm



Chamfered Architrave
78mm x 18mm x 2200mm



Victorian Architrave
94mm x 22mm x 2200mm



Grange Architrave
94mm x 22mm x 2200mm

MOULDINGS

by whiteriver



White primed skirting and architrave continue to grow in popularity, allowing for customised finishes. This range can be used to match our white primed doors or will also complement our oak door range. Our profiles are made from moisture-resistant mdf. All our white primed mdf profiles are FSC certified.



180mm Grange Skirting with
94mm Grange Architrave

white primed

ADJUSTABLE DOOR
FRAME & ARCHITRAVE

by **seadec**TM

Seadec provides a range of adjustable
architrave and matching door frame which
allows for quick and easy installation.



80mm Adjust. Oak Moulded Architrave




80mm Oak Moulded Architrave


Door Frame



**Oak
Door Frame**
134mm x 30mm



**Oak
Door Frame**
134mm x 30mm



**Oak
Door Stop**
12 x 44mm

MOULDINGS

by **seadec**TM

Seadec provides a large selection of
engineered wood and veneered mdf profiles.
Our selection allows you to customise your
finish to enhance and match your door
choice.

Skirting



**Oak
Moulded Skirting**
145mm x 18mm
x 3660mm



**Oak
Chamfered Skirting**
145mm x 18mm
x 3660mm



**Walnut
Moulded Skirting**
145mm x 18mm
x 3660mm



**Walnut
Chamfered Skirting**
145mm x 18mm
x 3660mm

Architrave



**Oak
Moulded
Architrave**
80mm x 18mm



**Oak
Chamfered
Architrave**
80mm x 18mm



**Walnut
Moulded
Architrave**
80mm x 18mm



**Walnut
Chamfered
Architrave**
80mm x 18mm

Adjustable Door Frame


Adjustable Architraves



**Oak Adjustable
Door Frame**
98mm/120mm x 44mm



**Walnut Adjustable
Door Frame**
98mm/120mm x 44mm



**Adjustable
Door Frame**
98mm/120mm x 44mm



**Oak Adjustable
Moulded
Architrave**
80mm x 18mm




**Oak Adjustable
Chamfered
Architrave**
80mm x 18mm




**Walnut Adjustable
Moulded
Architrave**
80mm x 18mm



**Walnut Adjustable
Chamfered
Architrave**
80mm x 18mm



**Adjustable Moulded
Architrave**
80mm x 18mm



**Adjustable Chamfered
Architrave**
80mm x 18mm






Oak Door Frame
105mm/133mm/144mm x 30mm



Walnut Door Frame
133mm x 30mm

MOULDINGS
by whiteriver



Door Stop
12 x 44mm (included in door frame set)




78mm Contemporary Oak
Architrave




69mm Moulded Oak Architrave
with hockey stick

MOULDINGS
by whiteriver


Our engineered profiles are specially selected and designed to ensure a perfect style match with your chosen doors. Our mouldings are pre-finished to a very high standard, providing a quality and durable closed pore finish that is unmatched.




Door Frame
105mm/133mm/144mm
x 30mm



Moulded Skirting
119/144mm x 18mm x 3600mm



Contemporary Skirting
144mm x 18mm x 3600mm



Chamfered Skirting
144mm x 18mm x 3600mm



Oak Moulded Skirting
119mm x 18mm
x 3600mm



Oak Moulded Skirting
144mm x 18mm
x 3600mm




Oak Contemporary Skirting
144mm x 18mm
x 3600mm




Oak Chamfered Skirting
144mm x 18mm
x 3600mm




Walnut Contemporary Skirting
144mm x 18mm
x 3600mm




Oak Hockey Stick
20mm x 31mm



Moulded Architrave
69 / 94mm x 18mm



Contemporary Architrave
78mm x 18mm



Chamfered Architrave
78mm x 18mm



Oak Moulded Architrave
69mm x 18mm



Oak Moulded Architrave
94mm x 18mm



Oak Contemporary Architrave
78mm x 18mm



Oak Chamfered Architrave
78mm x 18mm



Walnut Contemporary Architrave
78mm x 18mm




SEADEC - MOULDED
Oak -145mm Skirting & 80mm Architrave



SEADEC - CHAMFERED
Oak -145mm Skirting & 80mm Architrave



SEADEC - MOULDED
Walnut -145mm Skirting & 80mm Architrave



SEADEC - CHAMFERED
Walnut -145mm Skirting & 80mm Architrave



WHITERIVER - MOULDED
Oak -144mm Skirting & 94mm Architrave



WHITERIVER - CHAMFERED
Oak -144mm Skirting & 78mm Architrave



WHITERIVER - CONTEMPORARY
Oak -144mm Skirting & 78mm Architrave



WHITERIVER - CONTEMPORARY
Walnut -144mm Skirting & 78mm Architrave



WHITERIVER - MOULDED
Primed -144mm Skirting & 94mm Architrave



WHITERIVER - CHAMFERED
Primed -144mm Skirting & 78mm Architrave



WHITERIVER - VICTORIAN
Primed -180mm Skirting & 94mm Architrave



WHITERIVER - GRANGE
Primed -180mm Skirting & 94mm Architrave



WHITERIVER - MOULDED
Primed -144mm Skirting & 94mm Architrave with plinth block



WHITERIVER - CHAMFERED
Primed -144mm Skirting & 78mm Architrave with plinth block



WHITERIVER - VICTORIAN
Primed -180mm Skirting & 94mm Architrave with plinth block



WHITERIVER - GRANGE
Primed -180mm Skirting & 94mm Architrave with plinth block

care and installation guide



FOR FIRE DOORS PLEASE REFER TO THEIR CERTIFICATION FOR FITTING INSTRUCTIONS.

BEFORE YOU START

Your Seadec door and accessories (frames, skirting & architrave) must be stored flat on a clean, dry and level surface, with battens to allow the air to circulate. To allow your door and accessories to acclimatise to their environment, they should be left in the house, for at least 7 days, (the longer the better) with the heating on, prior to installation. Environmental and door moisture readings should be taken prior to hanging, to ensure that the doors and the environment are in equilibrium. Failure to allow the doors to acclimatise may cause excessive expansion and contraction leading to splitting and warping and will void the guarantee. **Should a door require alteration, cutting or planing, it must be immediately varnished with three coats, otherwise it will absorb moisture which can lead to problems such as warping or splitting.** Seadec doors may be altered by up to 10mm off the top and bottom and up to 7mm on each side only. However, any alteration of a Seadec door will void the warranty. Seadec doors and accessories must not be installed into a house that is freshly plastered, tiled or painted. Ensure all surfaces are dry and meet with the moisture guidelines below.

PACKAGING

Prior to removing the packaging, ensure that the doors, frames, skirting and architrave are the correct size and colour. Prior to removing from packaging, inspect each door, frame and piece of skirting and architrave in daylight for any visible faults or defects, also check the colour structure and finish.

Once any Seadec product is removed from its packaging, it is deemed to be acceptable and cannot be returned for any visible faults or defects. **Please note: Timber is a natural product and may show variations in colour or graining.**

FRAMES

Ensure that the frames the doors are being fitted into are plumb, and that the doors are not strained to fit into uneven framing. Fit 3 hinges on all doors at all times.

INSTALLATION AREA MOISTURE

The area of installation (the concrete floor and walls) must not be over 4% moisture content. This can be tested with an appropriate moisture meter. The temperature must be at least 18°C and the relative humidity between 40% – 60%, while the doors are being stored, before, during and after the installation. Do not bring doors, skirting or architrave into a house or site which does not meet the above conditions.

LOCKS AND HANDLES

When fitting a lock or a handle, it is best not to fit the lock where the stile (uprights) meets the rail (horizontals) as this will weaken the structure of the door.

ROOM CONDITIONS

Timber likes pleasant room conditions, just like us, a room temperature of approx 20°C and humidity of about 50% – 60%.

CLEANING

- Use a clean dry cloth to clean the doors.
- Furniture polish may also be used.
- Never use wax or aggressive detergents or products containing ammonia or silicates on Seadec products.
- Our frosted medical glass should be cleaned with a dry, soft cotton cloth. Do not use damp cloths.

PROTECTING YOUR SEADEC PRODUCTS

Ensure that rooms are well ventilated, particularly in rooms where there are large changes in temperature and moisture.

In the event of a proven manufacturing defect, Seadec or the Seadec retailer's total liability shall under no circumstances exceed the value of the defective product. Seadec or the Seadec retailer's shall not in any way be responsible for any additional consequential costs or losses.

If you are unclear of any of the above instructions, contact your local Seadec supplier.

www.seadec.ie

seadecTM
importers and distributors of internal doors

...doors for living

