



Whiteriver

wood for living

laminare flooring

THE ESSENTIAL GUIDE



2 12MM MAMMUT MOUNTAIN PINE SEPIA 4V

LAMINATE FLOORING



SMART 7mm / AC3	7
SMART 4V 7mm / AC3	9
EXCEL 4V 8mm / AC4	13
DYNAMIC 4V 8mm / AC4	15
DYNAMIC PLUS 4V 8mm / AC4	19
DYNAMIC WIDE 4V 8mm / AC4	23
MEGA TILE 4V 8mm / AC4	25
EVEREST 4V 10mm / AC3	29
METRO NARROW 4V 10mm / AC4	31
METRO HIGH SHINE 4V 10mm / AC4	35
METRO VIBRANCE 4V 10mm / AC4	37
METRO HANDSCRAPED 4V 10mm / AC4	39
METRO MIX 4V 10mm / AC4	41
METRO PLUS 4V 10mm / AC5	43
METRO CHESTNUTS 4V 10mm / AC5	47
AMAZONE 4V 10mm / AC5	49
MAMMUT PLUS 4V 10mm / AC5	51
EVEREST 4V 12mm / AC3	55
LIFESTYLE 4V 12mm / AC4	57
ROBUSTO 4V 12mm / AC5	59
MAMMUT 4V 12mm / AC5	63
UNDERLAY	66
CARE	67

7_{mm}

8_{mm}

10_{mm}

12_{mm}

7MM


WWW.**WRG**.IE









TICINO WALNUT 3-STRIP




BEECH 3-STRIP



WINTER OAK 2-STRIP



SUTTER OAK



CASTLE OAK

7MM SMART

THICKNESS: 7MM

BOARD SIZE: 1383 x 193 x 7mm


BOX QUANTITY: 9 panels / 2.40m²

USE CLASS: 31 / AC3




Enjoy decorating your home to your own individual tastes. A **SMART** laminate floor features an outstanding price/performance ratio. The warmth and look of a real wood floor with the reliability and convenience of a laminate floor. The **SMART** range features three 3-strip decors and two plank decors. All floors in the **SMART** range are square edge.







ANTIQUE OAK 4V



ORMOND OAK 4V



SUMMER OAK



BURREN OAK

7MM SMART 4V

THICKNESS: 7MM

BOARD SIZE: 1383 x 193 x 7mm

BOX QUANTITY: 9 panels / 2.40m²

USE CLASS: 31 / AC3

Excellent value combined with warm, inviting wood decors make **SMART 4V** a wise choice for any home. A price conscious and classic choice for your room that does not compromise on style or elegance. The **SMART 4V** range features three attractive oak plank decors. **SMART 4V** features a 4V four way bevel on all edges.




8MM


WWW.**WRG**.IE









BREWERY OAK 4V




PORTER OAK 4V




POLAR OAK 4V



KINSALE OAK 4V



SUMMER OAK BEIGE 4V



SKELLIG OAK 4V

8MM EXCEL 4V

THICKNESS: 8MM

BOARD SIZE: 1380 x 193 x 8mm


BOX QUANTITY: 8 panels / 2.131 m²

USE CLASS: 32 / AC4

The **EXCEL 4V** range will win you over with its unique range of three brand new decors. 8mm boards with AC4 abrasion class rating can be used throughout the home, bringing a natural and durable wood look to your home's spaces. Floors that are made to be enjoyed for a long time. **EXCEL 4V** features a 4V four way bevel on all edges.








NATURAL PINE 4V




VERANDA WHITE 4V



AUGUSTA WALNUT 4V



IRISH OAK 4V



LODGE PINE 4V

8MM DYNAMIC 4V

THICKNESS: 8MM

BOARD SIZE: 1380 x 193 x 8mm

BOX QUANTITY: 8 panels / 2.131 m²

USE CLASS: 32 / AC4


A floor with which you can express your entire individuality. **DYNAMIC 4V** can be used anywhere, is extremely resilient and, above all else, offers a unique variety of patterns and hues. Whether you choose the rich, dark hues of Augusta Walnut or the light and airy tones of Veranda White, you will be assured of stunning floor whose performance matches its good looks. **DYNAMIC 4V** features a 4V four way bevel on all edges.














VICTORIAN OAK 4V



BRACKEN OAK 4V




SMOKED OAK 4V



ONTARIO WALNUT 4V



NORDIC OAK 4V



OAK CHATEL 4V

8MM DYNAMIC PLUS 4V

THICKNESS: 8MM

BOARD SIZE: 1380 x 193 x 8mm

BOX QUANTITY: 8 panels / 2.131m²

USE CLASS: 32 / AC4

DYNAMIC PLUS 4V - All the features of a DYNAMIC floor with the added benefit of an embossed in register for that realistic wood look from a laminate floor. It can be used anywhere, is extremely resilient and, above all else, offers a unique variety of patterns and hues. All this makes **DYNAMIC PLUS 4V** the perfect floor for your ideas. **DYNAMIC PLUS 4V** features a 4V four way bevel on all edges.













EMBOSSSED-IN-REGISTER


Embossed-in-register laminate flooring provides the most realistic look and feel. The texture follows the grain pattern of the flooring. See floors with the eir logo.




RECLAIMED OAK 4V (HARBOUR OAK)




BARN OAK 4V (HARBOUR OAK GREY)



AVENUE



PETTERSSON OAK NATURE 4V



PALACE OAK DARK 4V

8MM DYNAMIC PLUS WIDE 4V

THICKNESS: 8MM

BOARD SIZE: 1380 x 244 x 8mm

BOX QUANTITY: 8 panels / 2.694m²

USE CLASS: 32 / AC4



DYNAMIC PLUS WIDE 4V - 244mm wide boards give an expansive feel to any room. Spaciousness and elegance go hand in hand to create an exquisite ambience. **DYNAMIC PLUS WIDE 4V** floors feature embossed in register surfaces for that realistic wood look from a laminate floor. **DYNAMIC PLUS WIDE 4V** features a 4V four way bevel on all edges.





HIMALAYA 4V



KAMALA 4V



NAXOS 4V

8

8MM MEGA TILE 4V

THICKNESS: 8MM

BOARD SIZE: 1302 x 326 x 8mm

BOX QUANTITY: 5 panels / 2.12m²

USE CLASS: 32 / AC4

MEGA TILE 4V, the tile effect floor for quick, budget-friendly installation in spacious areas. **MEGA TILE 4V** cannot fail to impress with its sophisticated, exclusive tiled look, along with all the benefits of laminate flooring. Easily fitted with a glueless Click system, **MEGA TILE 4V** floors feature a hard-wearing AC4 rating, meaning they are suitable for heavy domestic and medium commercial use.



10MM

WWW.**WRG**.IE




DROP LOCK SYSTEM




Please note that both Acacia and Oiled Oak Natural come with Drop Lock System. We recommend that all floors with the Drop Lock system are ideally installed over a good quality underlay with a maximum thickness of 3mm.

If you wish to use a thicker underlay, it is vital that the underlay's minimum density is 53 kgs per cubic metre as per manufacturers guidelines.







HARBOUR OAK 4V




OILED OAK NATURAL 4V




TUDOR OAK 4V



HICKORY 4V



ACACIA 4V (NARROW BOARD)



WINDSOR OAK 4V (NARROW BOARD)

EVEREST LAMINATE 10MM 4V

THICKNESS: 10MM

USE CLASS: 31 / AC3

Harbour/Oiled Oak/Hickory: 1216 x 197 x 10mm (1.44m² pack)

Tudor Oak: 1215 x 193 x 10mm (1.41m² pack)

Windsor Oak: 1215 x 125 x 10mm (1.82m² pack)

Acacia 1216 x 129 x 10mm (1.88m² pack)



The peak of good taste and authenticity. With **EVEREST 10MM 4V** you are assured of a floor that will enhance the look of any room. Warm toned decors create a comforting ambience and make a classic foundation on which to base your room interior. **EVEREST 10MM 4V** features a 4V four way bevel on all edges.



DROP LOCK SYSTEM



This range comes with a Drop Lock Click System (excludes Atlantic Walnut). We recommend that all floors with the Drop Lock system are ideally installed over a good quality underlay with a maximum thickness of 3mm.

If you wish to use a thicker underlay, it is vital that the underlay's minimum density is 53 kgs per cubic metre as per manufacturers guidelines.




VALETTA WALNUT 4V



OSLO WHITE 4V

10



AMSTERDAM OAK 4V



ATLANTIC WALNUT 4V*

10MM METRO NARROW 4V

THICKNESS: 10MM

BOARD SIZE: 1383 x 116 x 10mm

BOX QUANTITY: 8 panels / 1.28m²

USE CLASS: 32 / AC4

The **METRO NARROW 4V** range combines conventional beauty with contemporary style and thus lends that special something to every setting. **METRO NARROW 4V** floors are narrow and long, which creates a particularly graceful look. **METRO NARROW 4V** features a 4V four way bevel on all edges.

* Atlantic Walnut is 1380 x 159 x 10mm (pack size 1.54m²)










DROP LOCK SYSTEM



This range comes with a Drop Lock Click System. We recommend that all floors with the Drop Lock system are ideally installed over a good quality underlay with a maximum thickness of 3mm.


If you wish to use a thicker underlay, it is vital that the underlay's minimum density is 53 kgs per cubic metre as per manufacturers guidelines.



VIENNA OAK 4V



HIGH SHINE GLOSSY FINISH



SOFIA WALNUT 4V



TIRANA HICKORY 4V

10MM METRO HIGH SHINE 4V

THICKNESS: 10MM

BOARD SIZE: 1380 x 159 x 10mm

BOX QUANTITY: 8 panels / 1.76 m²

USE CLASS: 32 / AC4



From the country house to the penthouse, **METRO HIGH SHINE 4V** never fails to impress in any situation. A hard wearing, high shine surface finish reflects good taste and quality. The 159mm width boards give a spacious timelessness. Let your interiors shine with a floor from the **METRO HIGH SHINE 4V** range. **METRO HIGH SHINE 4V** features a 4V four way bevel on all edges.

N.B. While laminate floors are hard wearing and have a high degree of scratch resistance, they are not completely scratch proof and care should be taken to protect your floor surface. It is always beneficial to use protective felt pads under moveable furniture, chairs, table legs, doormats in entrances etc. (to protect your laminate floor against moisture, dirt and sand). Please note that wear and tear on darker coloured laminates or high shine surfaces may be more visible.




DROP LOCK SYSTEM



This range comes with a Drop Lock Click System. We recommend that all floors with the Drop Lock system are ideally installed over a good quality underlay with a maximum thickness of 3mm.


If you wish to use a thicker underlay, it is vital that the underlay's minimum density is 53 kgs per cubic metre as per manufacturers guidelines.




ASHFORD OAK



OAKLEA



OXBURY OAK



HARFORD OAK

10MM METRO VIBRANCE 4V

THICKNESS: 10MM

BOARD SIZE: 1380 x 159 x 10mm

BOX QUANTITY: 8 panels / 1.76 m²

USE CLASS: 32 / AC4

METRO VIBRANCE, a floor with character, ambience and radiance. Designed to illuminate and exaggerate with its bright colours, realistic textures and extravagant appeal. **METRO VIBRANCE** is ornate but tough, hosting an AC4 abrasion class and boasting its easy installation, via drop lock push down system - makes this the perfect choice for the most blissful.




N.B. While laminate floors are hard wearing and have a high degree of scratch resistance, they are not completely scratch proof and care should be taken to protect your floor surface. It is always beneficial to use protective felt pads under moveable furniture, chairs, table legs, doormats in entrances etc. (to protect your laminate floor against moisture, dirt and sand). Please note that wear and tear on darker coloured laminates or high shine surfaces may be more visible.






EMBOSSSED-IN-REGISTER

Embossed-in-register laminate flooring provides the most realistic look and feel. The texture follows the grain pattern of the flooring. See floors with the eir logo.



AGED ASH 4V



THERMO ASH 4V

10

10MM METRO HANDSCRAPED 4V

THICKNESS: 10MM

BOARD SIZE: 1285 x 192 x 10mm

BOX QUANTITY: 7 panels / 1.73 m²

USE CLASS: 32 / AC4


A beautiful floor is the basis for a beautiful home. Embodying the precious traces of time, the floors in the **METRO HANDSCRAPED 4V** range reveal their beauty with a traditional hand-scraped finish. Warm, inviting colours and a unique surface result in an every day elegance with timeless charm. **METRO HANDSCRAPED 4V** floors features a 4V four way bevel on all edges.





metro MIX

- World innovation in laminate flooring
- 3 widths – 1 plank format
- New, fascinating overall appearance
- Unique, natural play of colours
- Perfect colour harmony – universal in use



WINCHESTER OAK 4V



DROP LOCK SYSTEM This range comes with a Drop Lock Click System. We recommend that all floors with the Drop Lock system are ideally installed over a good quality underlay with a maximum thickness of 3mm. If you wish to use a thicker underlay, it is vital that the underlay's minimum density is 53 kgs per cubic metre as per manufacturers guidelines.

10MM METRO MIX 4V

THICKNESS: 10MM

BOARD SIZE: 1383 x 193 x 10mm

BOX QUANTITY: 7 panels / 1.87 m²

USE CLASS: 32 / AC4



METRO MIX 4V is the combination of three widths within the same standard sized board. Each section has its own different colour hue. It creates a striking and unique pattern never seen before. Natural variety in its most beautiful form. A new and exciting product which gives an unique, attractive look to your floor. **METRO MIX 4V** features a 4V four way bevel on all edges.





OAK RUSTIKAL 4V AC5



BERLIN OAK 4V AC4



MOSCOW OAK 4V AC5

WHILE STOCKS LAST


10



MONACO OAK 4V AC5



SEVILLE OAK 4V AC4



STOCKHOLM OAK 4V AC4

10MM METRO PLUS 4V

THICKNESS: 10MM

BOARD SIZE: 1380 x 193 x 10mm

BOX QUANTITY: 6 panels / 1.60 m²

USE CLASS: AC4 / AC5

The **METRO PLUS 4V** collection continues to grow. It sets new trends. It defines the avant-garde and creates classics. The authentic wood decors, the variety of surface structures, easy installation and 4 way bevels are governed by the same guiding concept: to enable new ideas. **METRO PLUS 4V** features a 4V four way bevel on all edges.












TOUGH AC5 FLOORING

10



10MM METRO CHESTNUTS 4V

THICKNESS: 10MM

BOARD SIZE: 1380 x 193 x 10mm

BOX QUANTITY: 6 panels / 1.60 m²

USE CLASS: 33 / AC5


The **METRO CHESTNUT 4V** collection is a unique collection of 3 specially selected chestnut decors in varying tones, all featuring the realistic embossed in register surface. A 10mm board with a hard wearing AC5 coreboard means these floors will stand up to the toughest demands. **METRO CHESTNUT 4V** features a 4V four way bevel on all edges.








OAK HELLA




PRESTIGE OAK GREY




PRESTIGE OAK LIGHT



PRESTIGE OAK NATURE



PRESTIGE OAK DARK



BLUES

10MM AMAZONE RANGE

THICKNESS: 10MM

BOARD SIZE: 1380 x 157 x 10mm

BOX QUANTITY: 6 panels / 1.300m²

USE CLASS: 33 / AC5


AMAZONE - The ideal laminate floor for everyone who wants the exclusive and extraordinary. These natural-looking wood styles combine classical beauty with flexibility letting you give your imagination free rein, while adding the secret ingredient that really brings an ambience to life. Most of them are exquisite oak versions in various grey and brown hues, predominantly "embossed in register" to ensure an authentic real-wood look & feel. **AMAZONE** planks are long and narrow for a particularly graceful appearance.








MACRO OAK WHITE




HIGHLAND OAK SILVER




HIGHLAND OAK TITAN



MACRO OAK GREY



MACRO OAK NATURE



HIGHLAND OAK BRONZE

10

10MM MAMMUT PLUS 4V LONG PLANK

THICKNESS: 10MM
BOARD SIZE: 1845 x 244 x 10mm
BOX QUANTITY: 4 panels / 1.80m²
USE CLASS: 33 / AC 5

While being based on the first-rate properties of the **MAMMUT** series, **MAMMUT PLUS** delivers even more authenticity, an even large selection of versions, and even greater perfection. These impressive oak themes with various brown and grey hues excel with their elegant, authentic natural wood look, and their wide format will imbue your home with a comfortable country house atmosphere. This, together with the floors' extreme robustness and suitability for virtually any application, make **MAMMUT PLUS** satisfy even the most demanding expectations.




12MM


WWW.**WRG**.IE








FRENCH OAK



RECLAIMED PINE



SMOKED OAK

EVEREST LAMINATE 12MM 4V

THICKNESS: 12MM

BOARD SIZE: 1215 x 166 x 12mm

BOX QUANTITY: 5 panels / 1m²

USE CLASS: 31 / AC3



The peak of good taste and authenticity. With **EVEREST 12MM 4V** you are assured of a floor that will enhance the look of any room. Warm toned decors create a comforting ambience and make a classic foundation on which to base your room interior. **EVEREST 12MM 4V** features a 4V four way bevel on all edges.







SHEELIN OAK



KINSALE WALNUT



CARLINGFORD OAK



CULLIN OAK



EASKEY OAK

12MM LIFESTYLE

THICKNESS: 12MM

BOARD SIZE: 1380 x 193 x 12 mm

BOX QUANTITY: 5 panels / 1.332m²


USE CLASS: 32 / AC4

If you love life you will love **LIFESTYLE**. Luxurious, luscious and longevity are just some of the aspects of this stylish **LIFESTYLE** range. Contrasting styles, colours and textures, combined with a strong AC4 abrasion class and 5G Click System makes this range the perfect choice for any location.





TOUGH AC5 FLOORING



HIGHLAND OAK 4V




AMERICAN WALNUT 4V*




HARBOUR OAK 4V



RIP OAK 4V




RIP OAK WHITE 4V




HARBOUR OAK GREY 4V




RIP OAK NATURE 4V



PETTERSSON OAK BEIGE 4V



PETTERSSON OAK DARK 4V



TIMELESS OAK GREY 4V



FANTASY WOOD 4V

12MM ROBUSTO 4V

THICKNESS: 12MM

BOARD SIZE: 1375 x 188 x 12mm

BOX QUANTITY: 5 panels / 1.293m²

USE CLASS: 33 / AC5

* American Walnut is 1380 x 193 x 12mm (1.332m² pack)


ROBUSTO is the perfect floor for extreme levels of use. With high-density, 12mm thick fibreboard and an especially wear-resistant surface, it can cope with pretty much anything to which it is exposed, even if used for commercial purposes. Its 5G Click system will never disappoint in any situation as it was specially developed to hold up under the highest pressure. **ROBUSTO** features a 4V four way bevel on all edges.













EVEREST OAK NATURE




CAPITAL OAK MEDIUM



MOUNTAIN PINE SEPIA




EVEREST OAK GREY



EVEREST OAK BRONZE




EVEREST OAK BEIGE



EVEREST OAK



TOWER OAK SAND



EVEREST OAK WHITE

12MM MAMMUT 4V LONG PLANK

THICKNESS: 12MM

BOARD SIZE: 1845 x 188 x 12 mm

BOX QUANTITY: 5 panels / 1.39m²

USE CLASS: 33 / AC5





For many, the best is just about good enough. And if you are always striving towards perfection as well, then there is only one floor for you: **MAMMUT 4V** from Kronotex. Whether used universally, for extremely heavy loads or to create a sophisticated and natural look, **MAMMUT 4V** is a floor which can meet all requirements. The panels are extra hard, extra long and extra practical. **MAMMUT 4V** features a 4V four way bevel on all edges.





Recommended Insulation Underlays

We strongly recommend a quality insulation underlay for all hard subfloors. You consequently increase the resilience of the floor, absorb indoor and footfall sound and level minor irregularities of the subfloor. The cushioned resilience does not only have a relieving effect on ears, joints and spine, but footfall and room sound are minimised as well – which will not only please you but also your neighbours.



3mm Silent Plus

Heavy duty rubber underlay with integrated fleece and ALU-foil back

Roll Size: 3mm x 1m x 10m (10m²)
Footfall sound improvement: 23 db
Thermal Resistance: 0.12k/w m²
Tog Rating: 1.2



5mm Therm

Compression-proof 5mm Therm is an insulating board made from natural wood fibre which effectively reduces transmitted impact sound and reflective sound.

Pack Size: 5mm x 0.8m x 0.675m (10.8m²)
Footfall sound improvement: 21 db
Thermal Resistance: 0.07k/w m²
Tog Rating: 0.7
Density: 135kg/m³



3mm Acoustic Blue

Cross-linked polyolefin foam underlay

Roll Size: 3mm x 1m x 10m (10m²)
Footfall sound improvement: 22 db
Thermal Resistance: 0.086k/w m²
Tog Rating: 0.86



2mm Acoustic Orange

Cross-linked polyolefin foam underlay
Suitable for Underfloor heating

Roll Size: 2mm x 1m x 10m (10m²)
Footfall sound improvement: 20 db
Thermal Resistance: 0.050k/w m²
Tog Rating: 0.5



4mm Gold Plus

Polyethylene foam with integrated gold foil back


Roll Size: 4mm x 1m x 15m (15m²)
Footfall sound improvement: 20 db
Thermal Resistance: 0.090k/w m²
Tog Rating: 0.9



2mm Cork

Natural granulated cork
Suitable for Underfloor heating

Roll Size: 2mm x 1m x 20m (20m²)
Footfall sound improvement: 17 db
Thermal Resistance: 0.041k/w m²
Tog Rating: 0.41



3mm Soundmaster

Heavy Duty Underlay with integrated ALU-foil back

Roll Size: 3mm x 1m x 10m (10m²)
Footfall sound improvement: 20 db
Thermal Resistance: 0.067k/w m²
Tog Rating: 0.67



Quick, easy and natural maintenance of your laminate floors.

Modern, responsible households build on environmentally safe products that are easy to use. Decades of know how influenced the revolutionary development clean & green. The result is a perfect product which makes cleaning and care of high quality floors easier than ever before. Designed for the special requirements of modern, responsible households, the clean & green products are not only easy to use and very eco friendly, but also highly efficient: Each bottle is good for 40 applications. All clean & green products are kind to the environment. You can tell this by checking the list of precious ingredients – and by the EU Eco Flower label. The Flower is an international ecolabel that is awarded to products and services meeting high environmental and performance standards.



Laminate floors are antistatic and dirt-repellent. That's why those with allergies also increasingly choose this floor because where there's no dust, house dust mites have no chance. It is hygienic and very easy to look after.

Dry cleaning

Laminate floors are very easy to maintain. Dry cleaning with a mop, broom or vacuum cleaner is generally all you need to do. Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank.

Damp cleaning

Damp Cleaning. We recommend that laminate floors be cleaned with clean

& green active where damp cleaning is required. Add dosage cap of clean and green active to 5 litres of water. Cleaning should then take place with well rung out mop or slightly damp cloth. This point is critical to the correct maintenance of your floor. Don't clean the floor with excessive amounts of water and always avoid letting water stand on the surface.

Other tips

In order to maintain the quality and beauty of the floor, but also for your own personal well being, an indoor climate of approx. 50% - 60% relative air humidity is ideal with a room temperature of approx. 20°C.

N.B. While laminate floors are hard wearing and have a high degree of scratch resistance, they are not completely scratch proof and care should be taken to protect your floor surface. It is always beneficial to use protective felt pads under moveable furniture, chairs, table legs and doormats in entrances etc. (to protect your laminate floor against moisture, dirt and sand). Please note that wear and tear on darker coloured laminates or high shine surfaces may be more visible.



PLEASE NOTE WE DO NOT RECOMMEND OR GUARANTEE USING STEAM CLEANERS ON OUR LAMINATE FLOORING PRODUCTS



WWW.WRG.IE